



jaga

PANEL PLUS FREESTANDING

Eyecatchers
* From design to art *

BROCHURE € 2012-2013.EX





Eyecatchers
* From design to art *

PANEL PLUS FREESTANDING

Elegant simplicity and power

Streamlined, elegant design. The compact style of the panel plus allows creative freedom to the designer and saves space too! The sober design with a standard top grille gives the Panel Plus an understated quality. Panel Plus is a super compact and solid freestanding solution but is also available as a horizontal or vertical wall radiator.

Horizontal version: see p. 186.
Vertical version: see p. 250.

PANEL PLUS FREESTANDING height 18 cm,
sandblast grey 001





PANEL PLUS FREESTANDING

PANEL PLUS FREESTANDING


DIMENSIONS (in cm)

PANEL PLUS FREESTANDING

- standard connection
- variant






H	12	18	>18
B	7.5	10 > 13	12 > 17



Type 22




Type 34



BENCH RADIATOR

L	T	S*	V*
120	99.0	2	2
160	69.5	3	2
200	89.5	3	2
240	109.5	3	3
280	86.5	4	3

* S = number of bench supports,
V = number of feet



DELIVERY

Standard delivery

- connection 18 underneath
- standard feet for installation on finished floor
- chrome-plated air vent and drain plug G1/2"
- pre-mounted grille

Standard delivery bench radiator

- Panel Plus radiator type 34 freestanding
- fixing set for bench (bench not included)

COLOURS

Environmentally friendly, scratch-resistant, high UV resistant powder coating.

Standard colours:

- traffic white RAL 9016 (333), smooth satin matt
- sandblast grey (001), fine texture metallic

Other colours: see colour chart.

CONNECTION

Code:

1° number = flow

2° number = return


Standard connection:

Code 18, reversible 18 or 81

Other connections (no surcharge):

- side connection:
 - one-sided: code 32 or 67 instead of 18
 - cross-over: code 37 or 62 instead of 18
- single point connection: code 11 (left) or 88 (right) instead of 18.

Always use a vertical diffusion tube (ø 10 to 12mm) min. 100 mm length and a reduction washer.



CONNECTION SETS

Connection set to the floor Jaga Deco

TRV head and sleeve couplings included.



set 34

To the floor

€



CODE.JF2.DC.1...

143,90

fill in sleeve coupling code

Copper 15/1 115

Copper 16/1 116

Copper 18/1 118

RPE/ALU tube 16/2 316

RPE/ALU tube 18/2 318

Horizontal version: see p. 186.

Vertical version: see p. 250.

Other connection sets and sleeve couplings

See chapter "Connection sets and valves" for all connection options and technical information

PANEL PLUS FREESTANDING

code height length type colour conn.
PPHF . 018 100 22 . XXX /18 /GR
 fill in colour code —

	Type	Watts 75/65	Watts 55/45	€ st. colour	€ other
L H 018					
060	---	---	---	---	---
080	---	---	---	---	---
100	22	626	314	542,60	651,20
	34	1140	543	832,40	999,00
120	22	751	377	590,60	708,90
	34	1369	652	915,80	1099,20
140	22	876	440	639,70	767,60
	34	1597	761	999,40	1199,30
160	22	1001	503	690,40	828,60
	34	1825	869	1081,20	1297,50
180	22	1126	565	738,40	886,20
	34	2053	978	1164,80	1397,70
200	22	1252	629	785,50	942,70
	34	2281	1086	1245,30	1494,40
220	22	1377	691	857,50	1029,10
	34	2509	1195	1352,00	1622,40
240	22	1502	754	904,70	1085,50
	34	2737	1304	1435,40	1722,30
260	22	1627	817	955,60	1146,90
	34	2965	1412	1518,20	1822,10
280	22	1752	880	1002,90	1203,60
	34	3193	1521	1598,20	1918,10
300	22	1877	942	1051,70	1262,10
	34	3421	1629	1681,50	2018,10

	Type	Watts 75/65	Watts 55/45	€ st. colour	€ other
L H 024					
060	22	477	239	495,30	594,40
	34	875	417	788,30	946,00
080	22	636	319	553,10	663,80
	34	1166	555	883,60	1060,30
100	22	794	399	610,90	733,20
	34	1458	694	978,60	1174,40
120	22	953	478	663,50	796,40
	34	1749	833	1074,00	1289,00
140	22	1112	558	716,10	859,30
	34	2041	972	1169,10	1403,00
160	22	1271	638	772,20	926,70
	34	2332	1111	1264,70	1517,90
180	22	1430	718	824,80	989,80
	34	2624	1250	1360,20	1632,20
200	22	1589	798	877,20	1052,60
	34	2915	1388	1455,20	1746,30
220	22	1748	878	952,90	1143,50
	34	3207	1527	1573,50	1888,20
240	22	1907	957	1007,30	1208,70
	34	3498	1666	1668,70	2002,30
260	22	2065	1037	1060,70	1273,00
	34	3790	1805	1764,20	2117,30
280	22	2224	1117	1113,30	1336,20
	34	4081	1944	1859,40	2231,50
300	22	2383	1196	1165,00	1398,10
	34	4373	2083	1954,50	2345,70


	Type	Watts 75/65	Watts 55/45	€ st. colour	€ other
L H 031					
060	22	571	287	573,40	688,20
	34	1018	485	901,30	1081,60
080	22	761	382	644,80	773,80
	34	1357	647	1010,00	1212,00
100	22	951	477	714,40	857,30
	34	1697	809	1118,30	1341,80
120	22	1142	573	776,10	931,40
	34	2036	970	1226,80	1472,40
140	22	1332	669	850,00	1020,10
	34	2375	1132	1335,30	1602,40
160	22	1522	764	915,30	1098,60
	34	2715	1294	1444,10	1733,00
180	22	1713	860	983,10	1179,90
	34	3054	1455	1552,70	1863,50
200	22	1903	955	1049,80	1259,90
	34	3393	1617	1661,20	1993,40
220	22	2093	1051	1139,10	1367,00
	34	3733	1779	1792,90	2151,50
240	22	2283	1146	1206,90	1448,30
	34	4072	1940	1901,30	2281,50
260	22	2474	1242	1276,60	1532,00
	34	4411	2102	2010,00	2412,20
280	22	2664	1337	1347,90	1617,70
	34	4751	2264	2118,60	2542,50
300	22	2854	1433	1417,50	1701,10
	34	5090	2426	2227,20	2672,80

EN442 output at 20°C room temperature

Panel Plus freestanding is available from height 6 cm up to 31 cm and length 60 cm up to 460 cm. See: www.theradiatorfactory.com

PANEL PLUS BENCH RADIATOR

Bench not included



code height length type colour conn.
PPHF . 031 120 34 . XXX /18 /BE
 fill in colour code —

	Type	Watts 75/65	Watts 55/45	€ st. colour	€ other
L H 031					
120	34	2199	1158	1276,90	1532,40
160	34	2932	1544	1513,80	1816,60
200	34	3665	1929	1730,90	2077,10
240	34	4398	2315	1971,10	2365,30
280	34	5131	2701	2207,70	2649,40

Bench not included EN442 output at 20°C room temperature

EN 442

Jaga International - Verbindingslaan z/n - B-3590 Diepenbeek
T: +32 11 29 41 16 - F: +32 11 29 41 60 - export@jaga.be

WWW.
THE RADIATOR FACTORY
.COM

WWW.JAGAEXPERIENCELAB.COM

your partner: