



Energy
SAVERS
LOW-H₂O

TEMPO

Warm power, simple style

- The benchmark Jaga Energy Saver – always ahead of its time – the classic among the wall radiators.
- Easy to assemble casing featuring the sectional front panel design.
- Compact and practical packaging.
- Low-H₂O technology with super conductive and ultra fast heat exchanger for low energy consumption and maximum heat emission.
- Twin Power for better compensation of the downward cold air flow next to glazed façades or ventilation grilles.
- DBE model for super-low water temperatures from 28°C.
- Suitable for an integrated valve and concealed connection.
- Safe surface temperature.
- **A 30 year guarantee** on the heat exchanger.

Also available as freestanding model for glazed façades. See page 82.

DBE option for high output from compact sizes at super-low temperatures from 28°C.



LOW-H₂O
SELECTED AS
THE MOST
ECONOMICAL
RADIATOR


TEMPO



TEMPO



DIMENSIONS (in cm)



DELIVERY

Light and easily installed by one person. Delivered flat packed in 2 packages for ease of handling and storage.

Standard delivery:

- Low-H₂O heat exchanger with wall brackets and fixing kit
- air vent elbow (standard) or extended air vent (twin) 1/8" and drain plug 1/2"
- easy to assemble casing

Delivery with DBE:

- number of DBE unit(s) varies according to the length
- operation, control and power supply 12VDC
- mounting instructions
- packed with the radiator

COLOUR

Scratch-resistant surface coating with a soft structured, satin gloss finish. High UV resistance.

Standard colour:

white RAL 9010 (101)

CONNECTION

Standard connection:


Bottom end left or right, to the wall or to the floor. Connection to the wall via the bottom of the casing, or totally concealed within the casing, depending on the valve or connection set chosen.

Optional high level valve:

add to the code of the radiator /30 (left) or /60 (right)

Ex. TEMW.030 040 10.101/60

High level valve details : see "Connection sets & Valves".



Optional remote controlled valve:

add to the code of the radiator /00.


Ex. TEMW.030 040 10.101/00

For valve set prices see chapter "Connection sets & valves".

CONNECTION SETS

To the wall, totally concealed within the casing

TRV head and sleeve couplings Eurocone 3/4" included.



set 225

CODE 2-PIPE

€



COLO.SW2.JC.4...

66,60



COLO.SW2.JW.4...

57,00

fill in sleeve coupling code

Precision metal tube 14/1 114

Precision metal tube 15/1 115

Precision metal tube 16/1 116

RPE/ALU tube 16/2 616

Other connections :

See chapter "Connection sets and valves" for all connection options and technical information.


ORDERING CODE

code	height	length	type	colour
TEMW .	020	040	10 .	101

ORDERING CODE WITH DBE

code	height	length	type	colour	Option /DBE
TEMW .	030	060	10 .	101	

DBE should be selected according to the power in comfort mode, as stated in the price and output table. The transition between standby (inactive) and comfort is managed automatically depending on the measured temperature and settings. For output in boost mode: see www.jaga.be



Also available as freestanding model for glazed façades. See page 82.

H020-TEMPO



TEMW.020 LLL TT.101

TEMW.020 LLL TT.101/DBE

L	STANDARD				TWIN				WITH DBE <small>in comfort mode</small>				
	Type	Watts 75/65	Watts 55/45	€	Type	Watts 75/65	Watts 55/45	€	Type	Watts 75/65	Watts 55/45	Watts 35/30	€
040	10	262	127	114,30	---	---	---	---	---	---	---	---	---
	15	436	212	135,90	---	---	---	---	---	---	---	---	---
	20	613	299	158,60	---	---	---	---	---	---	---	---	---
050	10	328	159	124,20	---	---	---	---	---	---	---	---	---
	15	545	265	149,40	---	---	---	---	---	---	---	---	---
	20	766	373	174,90	---	---	---	---	---	---	---	---	---
060	10	393	191	133,10	---	---	---	---	10	543	326	136	340,30
	15	654	319	161,50	---	---	---	---	15	904	542	226	378,70
	20	919	448	191,10	---	---	---	---	20	1169	701	292	408,30
070	10	459	223	152,90	---	---	---	---	10	609	365	152	360,20
	15	763	372	187,90	---	---	---	---	15	1013	608	253	405,10
	20	1072	522	224,50	---	---	---	---	20	1322	793	331	441,80
080	10	524	255	162,40	---	---	---	---	10	674	404	169	369,70
	15	872	425	201,60	---	---	---	---	15	1122	673	281	418,90
	20	1226	597	242,30	---	---	---	---	20	1476	886	369	459,40
090	10	590	287	172,40	---	---	---	---	10	890	534	223	454,10
	15	981	478	215,50	---	---	---	---	15	1481	889	370	517,00
	20	1379	672	260,10	---	---	---	---	20	1879	1127	470	561,90
100	10	655	318	189,80	---	---	---	---	10	955	573	239	471,40
	15	1090	531	237,70	---	---	---	---	15	1590	954	398	539,10
	20	1532	746	289,20	---	---	---	---	20	2032	1219	508	590,90
110	10	721	350	200,30	---	---	---	---	10	1021	613	255	481,90
	15	1199	584	254,30	---	---	---	---	15	1699	1019	425	555,90
	20	1685	821	308,50	---	---	---	---	20	2185	1311	546	610,20
120	10	786	382	209,70	---	---	---	---	10	1086	652	272	491,50
	15	1308	637	267,20	---	---	---	---	15	1808	1085	452	568,70
	20	1838	895	326,30	---	---	---	---	20	2338	1403	585	627,90
140	10	917	446	234,90	---	---	---	---	10	1217	730	304	516,50
	15	1526	743	300,60	---	---	---	---	15	2026	1216	507	602,30
	20	2145	1045	389,60	---	---	---	---	20	2645	1587	661	691,30
160	10	1048	509	274,00	---	---	---	---	10	1648	989	412	704,40
	15	1744	850	355,20	---	---	---	---	15	2744	1646	686	825,80
	20	2451	1194	462,00	---	---	---	---	20	3451	2071	863	932,40
180	10	1179	573	296,10	---	---	---	---	10	1779	1067	445	726,90
	15	1962	956	386,70	---	---	---	---	15	2962	1777	741	857,20
	20	2758	1343	501,70	---	---	---	---	20	3758	2255	940	972,30
200	10	1310	637	321,50	---	---	---	---	10	1910	1146	478	752,00
	15	2180	1062	442,80	---	---	---	---	15	3180	1908	795	913,20
	20	3064	1493	545,50	---	---	---	---	20	4064	2438	1016	1015,90
220	10	1441	700	367,50	---	---	---	---	10	2041	1225	510	798,10
	15	2398	1168	508,20	---	---	---	---	15	3398	2039	850	978,60
	20	3370	1642	629,20	---	---	---	---	20	4370	2622	1093	1099,60
240	10	1572	764	394,20	---	---	---	---	10	2472	1483	618	973,80
	15	2616	1274	545,10	---	---	---	---	15	4116	2470	1029	1184,30
	20	3677	1791	675,80	---	---	---	---	20	5177	3106	1294	1315,10
260	10	1703	827	419,30	---	---	---	---	10	2603	1562	651	998,90
	15	2834	1381	580,10	---	---	---	---	15	4334	2600	1084	1219,50
	20	3983	1940	720,80	---	---	---	---	20	5483	3290	1371	1360,20
280	10	1834	891	449,80	---	---	---	---	10	2734	1640	684	1029,40
	15	3052	1487	620,20	---	---	---	---	15	4552	2731	1138	1259,40
	20	4290	2090	770,50	---	---	---	---	20	5790	3474	1448	1410,00
300	10	1965	955	472,80	---	---	---	---	10	2865	1719	716	1052,20
	15	3270	1593	652,30	---	---	---	---	15	4770	2862	1193	1291,50
	20	4596	2239	812,70	---	---	---	---	20	6096	3658	1524	1451,70

EN442 output at 20°C room temperature

TEMPO - H 030

TEMW.030 LLL TT.101

L	STANDARD				TWIN			
	Type	Watts 75/65	Watts 55/45	€	Type	Watts 75/65	Watts 55/45	€
040	10	330	161	122,50	11	448	215	199,80
	15	544	267	144,60	16	592	281	235,10
	20	762	373	168,00	21	779	368	249,70
050	10	413	202	132,70	11	561	269	216,00
	15	680	333	158,30	16	740	352	257,20
	20	953	467	185,00	21	974	460	274,80
060	10	496	242	142,60	11	673	323	230,10
	15	815	399	171,60	16	888	422	277,20
	20	1144	561	202,10	21	1169	552	299,40
070	10	578	282	163,50	11	785	376	263,20
	15	951	466	198,80	16	1036	492	321,70
	20	1334	654	236,40	21	1364	644	350,10
080	10	661	323	173,50	11	897	430	279,40
	15	1087	533	213,20	16	1184	563	344,40
	20	1525	747	254,70	21	1558	736	376,80
090	10	743	363	184,40	11	1009	484	295,10
	15	1223	599	228,00	16	1332	633	367,80
	20	1715	841	273,50	21	1753	828	403,70
100	10	826	403	202,70	11	1121	537	323,80
	15	1359	666	251,10	16	1480	703	404,90
	20	1906	934	303,60	21	1948	920	448,30
110	10	909	444	214,30	11	1233	591	341,00
	15	1495	733	268,80	16	1628	774	430,60
	20	2097	1028	324,00	21	2143	1012	477,40
120	10	991	484	224,10	11	1345	645	356,80
	15	1631	799	282,10	16	1776	844	453,40
	20	2287	1121	342,30	21	2338	1105	504,20
140	10	1156	565	252,60	11	1569	752	398,60
	15	1903	933	318,80	16	2072	985	508,80
	20	2668	1308	408,70	21	2727	1288	602,60
160	10	1322	646	292,90	11	1794	860	463,20
	15	2174	1066	374,90	16	2368	1126	600,00
	20	3050	1495	482,30	21	3117	1473	711,50
180	10	1487	726	317,30	11	2018	967	500,20
	15	2446	1199	408,30	16	2664	1266	652,00
	20	3431	1682	524,20	21	3506	1656	772,50
200	10	1652	807	345,10	11	2242	1074	540,20
	15	2718	1332	466,90	16	2960	1407	746,90
	20	3812	1868	570,40	21	3896	1841	837,60
220	10	1817	887	392,60	11	2466	1182	616,20
	15	2990	1465	534,00	16	3256	1548	856,40
	20	4193	2055	655,70	21	4286	2025	964,30
240	10	1982	968	421,90	11	2690	1289	661,30
	15	3262	1599	573,20	16	3552	1688	918,20
	20	4574	2242	704,90	21	4675	2209	1036,60
260	10	2148	1049	448,40	11	2915	1397	702,40
	15	3533	1732	610,10	16	3848	1829	976,20
	20	4956	2429	751,40	21	5065	2393	1103,90
280	10	2313	1130	481,40	11	3139	1504	748,70
	15	3805	1865	652,50	16	4144	1970	1039,20
	20	5337	2616	803,40	21	5454	2577	1176,70
300	10	2478	1210	505,80	11	3363	1612	787,00
	15	4077	1998	686,00	16	4440	2110	1092,40
	20	5718	2802	847,10	21	5844	2761	1240,60

EN442 output at 20°C room temperature

TEMW.030 LLL TT.101/DBE

Type	WITH DBE in comfort mode			
	Watts 75/65	Watts 55/45	Watts 35/30	€
---	---	---	---	---
---	---	---	---	---
---	---	---	---	---
---	---	---	---	---
---	---	---	---	---
---	---	---	---	---
11	973	584	243	437,40
16	1368	821	342	494,50
21	1649	989	412	516,80
11	1085	651	271	470,40
16	1516	910	379	538,90
21	1844	1106	461	567,30
11	1197	718	299	486,90
16	1664	998	416	561,70
21	2038	1223	510	594,20
11	1609	965	402	576,90
16	2292	1375	573	669,50
21	2713	1628	678	705,10
11	1721	1033	430	605,40
16	2440	1464	610	706,60
21	2908	1745	727	749,90
11	1833	1100	458	622,70
16	2588	1553	647	732,10
21	3103	1862	776	779,00
11	1945	1167	486	638,60
16	2736	1642	684	754,90
21	3298	1979	825	806,00
11	2169	1301	542	680,40
16	3032	1819	758	810,50
21	3687	2212	922	904,10
11	2994	1796	749	893,80
16	4288	2573	1072	1070,50
21	5037	3022	1259	1182,10
11	3218	1931	805	930,70
16	4584	2750	1146	1122,60
21	5426	3256	1357	1242,90
11	3442	2065	861	970,90
16	4880	2928	1220	1217,50
21	5816	3490	1454	1308,10
11	3666	2200	917	1047,10
16	5176	3106	1294	1326,90
21	6206	3724	1552	1434,60
11	4490	2694	1123	1240,80
16	6432	3859	1608	1557,50
21	7555	4533	1889	1676,00
11	4715	2829	1179	1281,90
16	6728	4037	1682	1615,60
21	7945	4767	1986	1743,10
11	4939	2963	1235	1328,30
16	7024	4214	1756	1678,20
21	8334	5000	2084	1815,90
11	5163	3098	1291	1366,60
16	7320	4392	1830	1731,60
21	8724	5234	2181	1879,90

H040 - TEMPO



TEMW.040 LLL TT.101

TEMW.040 LLL TT.101/DBE

L	STANDARD				TWIN				WITH DBE in comfort mode				
	Type	Watts 75/65	Watts 55/45	€	Type	Watts 75/65	Watts 55/45	€	Type	Watts 75/65	Watts 55/45	Watts 35/30	€
040	10	385	189	130,60	11	506	243	207,60	---	---	---	---	---
	15	627	309	155,60	16	680	323	246,20	---	---	---	---	---
	20	878	433	179,50	21	910	428	261,30	---	---	---	---	---
050	10	482	236	141,20	11	632	303	224,40	---	---	---	---	---
	15	784	386	169,80	16	850	403	268,70	---	---	---	---	---
	20	1098	541	196,90	21	1137	535	286,80	---	---	---	---	---
060	10	578	284	152,00	11	758	363	239,40	11	1058	635	265	446,70
	15	941	464	184,10	16	1020	484	289,90	16	1500	900	375	507,10
	20	1318	650	215,10	21	1364	641	312,30	21	1844	1106	461	529,50
070	10	674	331	173,90	11	885	424	273,50	11	1185	711	296	480,90
	15	1098	541	212,20	16	1190	564	335,30	16	1670	1002	418	552,40
	20	1537	758	250,40	21	1592	749	364,00	21	2072	1243	518	581,20
080	10	770	378	184,50	11	1011	485	290,40	11	1311	787	328	497,60
	15	1254	618	227,10	16	1360	645	358,50	16	1840	1104	460	575,80
	20	1757	866	268,90	21	1819	855	391,20	21	2299	1379	575	608,40
090	10	867	425	196,50	11	1138	546	307,00	11	1738	1043	435	588,70
	15	1411	695	242,90	16	1530	726	383,10	16	2490	1494	623	684,50
	20	1976	974	289,00	21	2047	963	419,20	21	3007	1804	752	720,70
100	10	963	472	215,90	11	1264	606	336,60	11	1864	1118	466	618,30
	15	1568	773	267,20	16	1700	806	421,20	16	2660	1596	665	722,60
	20	2196	1083	320,20	21	2274	1069	464,90	21	3234	1940	809	766,40
110	10	1059	520	228,50	11	1390	666	354,90	11	1990	1194	498	636,70
	15	1725	850	285,90	16	1870	887	447,70	16	2830	1698	708	749,30
	20	2416	1191	341,40	21	2501	1176	495,00	21	3461	2077	865	796,60
120	10	1156	567	238,70	11	1517	727	371,40	11	2117	1270	529	653,00
	15	1882	928	299,70	16	2040	968	470,80	16	3000	1800	750	772,50
	20	2635	1299	360,30	21	2729	1283	522,20	21	3689	2213	922	823,90
140	10	1348	661	270,20	11	1770	849	415,90	11	2370	1422	593	697,60
	15	2195	1082	340,30	16	2380	1129	530,80	16	3340	2004	835	832,20
	20	3074	1516	430,80	21	3184	1497	624,70	21	4144	2486	1036	926,30
160	10	1541	756	312,10	11	2022	969	482,10	11	3222	1933	806	912,80
	15	2509	1237	398,00	16	2720	1290	623,30	16	4640	2784	1160	1093,80
	20	3514	1733	506,00	21	3638	1711	735,10	21	5558	3335	1390	1205,50
180	10	1733	850	338,60	11	2275	1091	521,10	11	3475	2085	869	951,80
	15	2822	1391	433,20	16	3060	1452	677,30	16	4980	2988	1245	1148,00
	20	3953	1949	549,70	21	4093	1925	798,00	21	6013	3608	1503	1268,40
200	10	1926	945	368,60	11	2528	1212	563,60	11	3728	2237	932	994,20
	15	3136	1546	494,50	16	3400	1613	774,70	16	5320	3192	1330	1245,10
	20	4392	2166	598,50	21	4548	2139	865,60	21	6468	3881	1617	1336,00
220	10	2119	1040	417,80	11	2781	1333	641,20	11	3981	2389	995	1071,90
	15	3450	1700	562,90	16	3740	1774	885,80	16	5660	3396	1415	1356,20
	20	4831	2382	685,20	21	5003	2353	993,70	21	6923	4154	1731	1464,10
240	10	2311	1134	449,70	11	3034	1455	688,80	11	4834	2900	1209	1268,30
	15	3763	1855	605,80	16	4080	1935	951,20	16	6960	4176	1740	1590,40
	20	5270	2599	737,90	21	5458	2567	1069,70	21	8338	5003	2085	1708,70
260	10	2504	1229	477,50	11	3286	1576	731,10	11	5086	3052	1272	1310,70
	15	4077	2009	644,10	16	4420	2097	1010,50	16	7300	4380	1825	1649,90
	20	5710	2816	786,00	21	5912	2780	1138,40	21	8792	5275	2198	1777,70
280	10	2696	1323	513,00	11	3539	1697	780,00	11	5339	3203	1335	1359,70
	15	4390	2164	689,00	16	4760	2258	1075,80	16	7640	4584	1910	1715,20
	20	6149	3032	840,50	21	6367	2994	1213,60	21	9247	5548	2312	1852,90
300	10	2889	1417	538,90	11	3792	1818	819,70	11	5592	3355	1398	1399,30
	15	4704	2318	724,00	16	5100	2419	1130,80	16	7980	4788	1995	1770,10
	20	6588	3249	885,50	21	6822	3208	1279,10	21	9702	5821	2426	1918,40

EN442 output at 20°C room temperature

TEMPO - H050

TEMW.050 LLL TT.101

L	STANDARD				TWIN			
	Type	Watts 75/65	Watts 55/45	€	Type	Watts 75/65	Watts 55/45	€
040	10	430	212	140,00	11	554	266	217,20
	15	694	344	167,00	16	759	359	257,50
	20	970	481	192,30	21	1033	484	273,90
050	10	538	265	151,10	11	693	332	234,20
	15	867	430	181,60	16	949	449	280,70
	20	1213	602	209,90	21	1291	605	299,70
060	10	646	318	162,80	11	832	399	250,50
	15	1040	516	197,00	16	1139	539	302,70
	20	1455	722	229,20	21	1549	725	326,30
070	10	753	371	185,70	11	970	465	285,60
	15	1214	602	226,20	16	1329	629	349,00
	20	1698	842	265,50	21	1807	846	379,00
080	10	861	424	196,90	11	1109	532	302,80
	15	1387	688	241,40	16	1518	719	372,90
	20	1940	962	284,70	21	2066	968	406,70
090	10	968	477	209,70	11	1247	598	320,40
	15	1561	774	258,30	16	1708	809	398,30
	20	2183	1083	305,60	21	2324	1088	435,50
100	10	1076	530	230,10	11	1386	665	351,10
	15	1734	860	283,60	16	1898	898	437,60
	20	2425	1203	337,90	21	2582	1209	482,10
110	10	1184	584	243,80	11	1525	732	370,50
	15	1907	946	303,40	16	2088	988	465,30
	20	2668	1323	360,20	21	2840	1330	513,40
120	10	1291	636	254,60	11	1663	798	387,10
	15	2081	1032	317,50	16	2278	1078	488,70
	20	2910	1443	379,30	21	3098	1451	541,20
140	10	1506	742	289,10	11	1940	931	435,30
	15	2428	1204	361,70	16	2657	1258	552,20
	20	3395	1684	454,00	21	3615	1693	647,70
160	10	1722	849	332,50	11	2218	1064	502,70
	15	2774	1376	421,10	16	3037	1438	646,30
	20	3880	1924	530,80	21	4131	1935	759,70
180	10	1937	955	360,70	11	2495	1197	543,40
	15	3121	1548	458,10	16	3416	1617	702,40
	20	4365	2165	576,50	21	4648	2177	824,40
200	10	2152	1061	393,50	11	2772	1330	588,60
	15	3468	1720	521,80	16	3796	1797	802,10
	20	4850	2405	627,60	21	5164	2418	894,60
220	10	2367	1167	444,00	11	3049	1463	667,70
	15	3815	1892	591,80	16	4176	1977	914,70
	20	5335	2646	715,90	21	5680	2660	1024,30
240	10	2582	1273	478,50	11	3326	1596	718,00
	15	4162	2064	637,80	16	4555	2156	983,10
	20	5820	2886	772,30	21	6197	2902	1103,60
260	10	2798	1379	508,00	11	3604	1729	761,70
	15	4508	2236	677,30	16	4935	2336	1044,10
	20	6305	3127	821,90	21	6713	3144	1174,00
280	10	3013	1485	545,80	11	3881	1862	813,10
	15	4855	2408	724,80	16	5314	2516	1111,90
	20	6790	3367	878,80	21	7230	3386	1251,70
300	10	3228	1591	573,20	11	4158	1995	854,30
	15	5202	2580	761,30	16	5694	2695	1168,10
	20	7275	3608	925,20	21	7746	3628	1318,70

EN442 output at 20°C room temperature

TEMW.050 LLL TT.101/DBE

Type	WITH DBE in comfort mode			
	Watts 75/65	Watts 55/45	Watts 35/30	€
---	---	---	---	---
---	---	---	---	---
---	---	---	---	---
---	---	---	---	---
---	---	---	---	---
---	---	---	---	---
11	1132	679	283	457,80
16	1619	971	405	520,00
21	2029	1217	507	543,30
11	1270	762	318	493,00
16	1809	1085	452	566,20
21	2287	1372	572	596,30
11	1409	845	352	510,20
16	1998	1199	500	590,20
21	2546	1528	637	624,00
11	1847	1108	462	602,30
16	2668	1601	667	699,90
21	3284	1970	821	737,00
11	1986	1192	497	632,90
16	2858	1715	715	739,10
21	3542	2125	886	783,80
11	2125	1275	531	652,30
16	3048	1829	762	766,80
21	3800	2280	950	815,00
11	2263	1358	566	668,90
16	3238	1943	810	790,30
21	4058	2435	1015	842,70
11	2540	1524	635	717,00
16	3617	2170	904	854,00
21	4575	2745	1144	949,20
11	3418	2051	855	933,40
16	4957	2974	1239	1116,60
21	6051	3631	1513	1230,10
11	3695	2217	924	974,20
16	5336	3202	1334	1172,80
21	6568	3941	1642	1294,70
11	3972	2383	993	1019,30
16	5716	3430	1429	1272,60
21	7084	4250	1771	1364,90
11	4249	2549	1062	1098,40
16	6096	3658	1524	1385,10
21	7600	4560	1900	1494,70
11	5126	3076	1282	1297,60
16	7435	4461	1859	1622,30
21	9077	5446	2269	1742,90
11	5404	3242	1351	1341,40
16	7815	4689	1954	1683,10
21	9593	5756	2398	1813,20
11	5681	3409	1420	1392,70
16	8194	4916	2049	1751,20
21	10110	6066	2528	1890,80
11	5958	3575	1490	1433,90
16	8574	5144	2144	1807,50
21	8724	5234	2181	1879,90

H060 - TEMPO



TEMW.060 LLL TT.101

TEMW.060 LLL TT.101/DBE

L	STANDARD				TWIN				WITH DBE in comfort mode				
	Type	Watts 75/65	Watts 55/45	€	Type	Watts 75/65	Watts 55/45	€	Type	Watts 75/65	Watts 55/45	Watts 35/30	€
040	10	468	232	149,90	11	598	287	227,20	---	---	---	---	---
	15	746	372	175,60	16	834	394	266,30	---	---	---	---	---
	20	1043	520	202,10	21	1153	538	284,00	---	---	---	---	---
050	10	585	290	161,50	11	747	359	244,70	---	---	---	---	---
	15	933	466	190,80	16	1042	492	289,80	---	---	---	---	---
	20	1304	651	220,20	21	1441	672	310,40	---	---	---	---	---
060	10	702	348	174,50	11	896	430	262,00	11	1196	718	299	469,40
	15	1120	559	207,10	16	1250	591	312,90	16	1730	1038	433	530,10
	20	1565	781	240,70	21	1729	806	338,10	21	2209	1325	552	555,40
070	10	819	406	198,20	11	1046	502	298,00	11	1346	808	337	505,30
	15	1306	652	237,40	16	1459	689	360,30	16	1939	1163	485	577,50
	20	1826	911	278,00	21	2017	941	391,60	21	2497	1498	624	608,90
080	10	936	463	209,80	11	1195	574	315,80	11	1495	897	374	523,20
	15	1493	745	253,10	16	1667	788	384,50	16	2147	1288	537	601,70
	20	2086	1041	297,70	21	2306	1076	419,90	21	2786	1672	697	637,20
090	10	1053	521	223,70	11	1345	646	334,30	11	1945	1167	486	616,00
	15	1679	838	270,80	16	1876	886	410,90	16	2836	1702	709	712,50
	20	2347	1171	319,50	21	2594	1210	449,70	21	3554	2132	889	751,10
100	10	1170	579	245,10	11	1494	717	366,20	11	2094	1256	524	647,80
	15	1866	931	297,20	16	2084	985	451,20	16	3044	1826	761	752,90
	20	2608	1301	352,80	21	2882	1344	497,60	21	3842	2305	961	799,20
110	10	1287	637	259,90	11	1643	789	386,60	11	2243	1346	561	668,30
	15	2053	1024	318,10	16	2292	1083	479,90	16	3252	1951	813	781,60
	20	2869	1432	376,20	21	3170	1479	529,70	21	4130	2478	1033	831,40
120	10	1404	695	271,00	11	1793	861	403,80	11	2393	1436	598	685,50
	15	2239	1117	332,80	16	2501	1182	503,90	16	3461	2077	865	805,50
	20	3130	1562	395,70	21	3458	1613	558,00	21	4418	2651	1105	859,50
140	10	1638	811	309,60	11	2092	1004	455,80	11	2692	1615	673	737,50
	15	2612	1303	380,00	16	2918	1379	570,40	16	3878	2327	970	871,90
	20	3651	1822	473,60	21	4035	1882	667,60	21	4995	2997	1249	969,20
160	10	1872	927	354,70	11	2390	1147	525,00	11	3590	2154	898	955,60
	15	2986	1490	440,70	16	3334	1575	665,90	16	5254	3152	1314	1136,40
	20	4173	2082	551,70	21	4611	2151	781,20	21	6531	3919	1633	1251,60
180	10	2106	1043	384,60	11	2689	1291	567,50	11	3889	2333	972	998,20
	15	3359	1676	479,70	16	3751	1772	724,00	16	5671	3403	1418	1194,30
	20	4694	2342	599,30	21	5188	2420	847,90	21	7108	4265	1777	1318,30
200	10	2340	1159	419,90	11	2988	1434	615,20	11	4188	2513	1047	1045,90
	15	3732	1862	545,90	16	4168	1969	826,40	16	6088	3653	1522	1296,60
	20	5216	2603	653,20	21	5764	2688	920,60	21	7684	4610	1921	1391,00
220	10	2574	1275	472,00	11	3287	1578	695,80	11	4487	2692	1122	1126,40
	15	4105	2048	617,40	16	4585	2166	940,30	16	6505	3903	1626	1410,90
	20	5738	2863	742,80	21	6340	2957	1051,60	21	8260	4956	2065	1522,00
240	10	2808	1390	510,20	11	3586	1721	749,50	11	5386	3232	1347	1329,10
	15	4478	2234	666,10	16	5002	2363	1011,50	16	7882	4729	1971	1650,60
	20	6259	3123	801,80	21	6917	3226	1133,70	21	9797	5878	2449	1773,00
260	10	3042	1506	541,00	11	3884	1864	794,70	11	5684	3410	1421	1374,30
	15	4852	2421	707,30	16	5418	2560	1073,80	16	8298	4979	2075	1712,90
	20	6781	3383	852,80	21	7493	3495	1205,60	21	10373	6224	2593	1844,70
280	10	3276	1622	581,30	11	4183	2008	848,60	11	5983	3590	1496	1428,10
	15	5225	2607	756,80	16	5835	2757	1144,00	16	8715	5229	2179	1783,20
	20	7302	3643	912,30	21	8070	3764	1285,60	21	10950	6570	2738	1925,00
300	10	3510	1738	610,20	11	4482	2151	891,30	11	6282	3769	1571	1471,00
	15	5598	2793	795,00	16	6252	2954	1201,90	16	9132	5479	2283	1841,00
	20	7824	3904	960,20	21	8646	4033	1354,10	21	11526	6916	2882	1993,40

EN442 output at 20°C room temperature

TEMPO - H070

TEMW.070 LLL TT.101

L	STANDARD				TWIN			
	Type	Watts 75/65	Watts 55/45	€	Type	Watts 75/65	Watts 55/45	€
040	10	499	248	158,60	11	636	305	236,00
	15	789	396	184,50	16	904	426	275,20
	20	1101	553	212,60	21	1271	590	294,60
050	10	624	311	170,70	11	795	382	253,80
	15	986	495	200,20	16	1130	533	299,30
	20	1377	691	231,20	21	1589	738	321,50
060	10	749	373	184,50	11	954	458	272,20
	15	1183	594	217,60	16	1356	639	323,70
	20	1652	829	252,70	21	1906	885	350,00
070	10	874	435	209,30	11	1113	534	309,10
	15	1380	692	248,50	16	1582	746	371,70
	20	1927	967	290,80	21	2224	1033	404,70
080	10	998	497	221,60	11	1272	611	327,30
	15	1578	792	265,10	16	1808	852	396,70
	20	2202	1105	311,10	21	2542	1181	433,40
090	10	1123	559	236,30	11	1431	687	347,00
	15	1775	891	283,70	16	2034	959	423,90
	20	2478	1244	333,80	21	2859	1328	464,10
100	10	1248	621	258,80	11	1590	764	379,70
	15	1972	989	311,10	16	2260	1065	465,30
	20	2753	1382	368,20	21	3177	1476	513,00
110	10	1373	683	274,50	11	1749	840	401,30
	15	2169	1088	333,20	16	2486	1172	495,20
	20	3028	1520	392,60	21	3495	1623	546,30
120	10	1498	746	286,00	11	1908	916	418,80
	15	2366	1187	348,10	16	2712	1279	519,60
	20	3304	1659	412,70	21	3812	1771	574,80
140	10	1747	869	328,10	11	2226	1069	474,00
	15	2761	1385	399,10	16	3164	1492	589,70
	20	3854	1935	494,60	21	4448	2066	688,70
160	10	1997	994	374,40	11	2544	1222	544,70
	15	3155	1583	461,10	16	3616	1705	686,80
	20	4405	2211	574,30	21	5083	2361	803,70
180	10	2246	1118	406,30	11	2862	1374	589,20
	15	3550	1781	502,20	16	4068	1918	746,50
	20	4955	2488	623,70	21	5719	2657	872,20
200	10	2496	1242	444,00	11	3180	1527	639,40
	15	3944	1979	570,80	16	4520	2131	851,50
	20	5506	2764	679,90	21	6354	2952	947,40
220	10	2746	1367	497,70	11	3498	1680	721,50
	15	4338	2177	644,00	16	4972	2344	967,10
	20	6057	3041	771,30	21	6989	3247	1080,10
240	10	2995	1491	538,30	11	3816	1832	777,80
	15	4733	2375	695,70	16	5424	2557	1041,30
	20	6607	3317	833,90	21	7625	3542	1165,80
260	10	3245	1615	570,60	11	4134	1985	824,50
	15	5127	2573	738,20	16	5876	2770	1105,10
	20	7158	3594	886,30	21	8260	3837	1239,20
280	10	3494	1739	613,60	11	4452	2138	880,80
	15	5522	2771	790,20	16	6328	2983	1177,80
	20	7708	3870	948,00	21	8896	4132	1321,70
300	10	3744	1863	644,00	11	4770	2291	924,90
	15	5916	2968	829,80	16	6780	3196	1237,10
	20	8259	4146	997,60	21	9531	4427	1391,60

EN442 output at 20°C room temperature

TEMW.070 LLL TT.101/DBE

Type	WITH DBE in comfort mode			
	Watts 75/65	Watts 55/45	Watts 35/30	€
---	---	---	---	---
---	---	---	---	---
---	---	---	---	---
---	---	---	---	---
---	---	---	---	---
---	---	---	---	---
11	1254	752	314	479,70
16	1836	1102	459	540,90
21	2386	1432	597	567,10
11	1413	848	353	516,40
16	2062	1237	516	588,70
21	2704	1622	676	622,00
11	1572	943	393	534,90
16	2288	1373	572	613,90
21	3022	1813	756	650,70
11	2031	1219	508	628,70
16	2994	1796	749	725,50
21	3819	2291	955	765,80
11	2190	1314	548	661,40
16	3220	1932	805	766,70
21	4137	2482	1034	814,60
11	2349	1409	587	682,90
16	3446	2068	862	796,80
21	4455	2673	1114	847,90
11	2508	1505	627	700,30
16	3672	2203	918	821,20
21	4772	2863	1193	876,40
11	2826	1696	707	755,80
16	4124	2474	1031	891,40
21	5408	3245	1352	990,40
11	3744	2246	936	975,30
16	5536	3322	1384	1157,10
21	7003	4202	1751	1274,10
11	4062	2437	1016	1019,80
16	5988	3593	1497	1216,90
21	7639	4583	1910	1342,60
11	4380	2628	1095	1070,20
16	6440	3864	1610	1321,90
21	8274	4964	2069	1417,80
11	4698	2819	1175	1152,00
16	6892	4135	1723	1437,50
21	8909	5345	2227	1550,50
11	5616	3370	1404	1357,30
16	8304	4982	2076	1680,40
21	10505	6303	2626	1805,10
11	5934	3560	1484	1404,10
16	8756	5254	2189	1744,20
21	11140	6684	2785	1878,30
11	6252	3751	1563	1460,40
16	9208	5525	2302	1816,90
21	11776	7066	2944	1961,00
11	6570	3942	1643	1504,50
16	9660	5796	2415	1876,20
21	10626	6376	2657	1957,90

H090 - TEMPO



TEMW.090 LLL TT.101

TEMW.090 LLL TT.101/DBE

L	STANDARD				TWIN				WITH DBE in comfort mode				
	Type	Watts 75/65	Watts 55/45	€	Type	Watts 75/65	Watts 55/45	€	Type	Watts 75/65	Watts 55/45	Watts 35/30	€
040	10	548	275	176,70	11	703	338	254,30	---	---	---	---	---
	15	848	431	205,30	16	1038	487	295,80	---	---	---	---	---
	20	1183	601	236,30	21	1508	694	318,00	---	---	---	---	---
050	10	685	344	189,40	11	879	423	272,80	---	---	---	---	---
	15	1060	538	221,80	16	1298	609	320,40	---	---	---	---	---
	20	1479	751	255,70	21	1885	868	345,70	---	---	---	---	---
060	10	821	412	205,60	11	1055	507	293,30	11	1355	813	339	500,70
	15	1272	646	241,20	16	1558	732	346,80	16	2038	1223	510	564,00
	20	1774	901	279,20	21	2262	1042	376,50	21	2742	1645	686	593,70
070	10	958	481	232,20	11	1231	592	332,30	11	1531	919	383	539,70
	15	1484	754	274,30	16	1817	853	397,20	16	2297	1378	574	614,20
	20	2070	1051	319,50	21	2639	1215	433,10	21	3119	1871	780	650,10
080	10	1095	550	245,60	11	1406	676	351,60	11	1706	1024	427	559,00
	15	1696	861	291,60	16	2077	975	422,90	16	2557	1534	639	640,00
	20	2366	1202	340,70	21	3016	1389	462,90	21	3496	2098	874	680,10
090	10	1232	619	262,10	11	1582	760	373,00	11	2182	1309	546	655,00
	15	1908	969	312,40	16	2336	1097	452,20	16	3296	1978	824	753,80
	20	2661	1352	365,30	21	3393	1562	495,40	21	4353	2612	1088	797,00
100	10	1369	688	286,80	11	1758	845	408,00	11	2358	1415	590	689,70
	15	2120	1077	341,70	16	2596	1219	495,50	16	3556	2134	889	797,20
	20	2957	1502	401,90	21	3770	1736	546,50	21	4730	2838	1183	848,10
110	10	1506	756	304,70	11	1934	930	431,70	11	2534	1520	634	713,40
	15	2332	1185	365,80	16	2856	1341	527,50	16	3816	2290	954	829,20
	20	3253	1652	428,40	21	4147	1910	581,70	21	5107	3064	1277	883,30
120	10	1643	825	317,10	11	2110	1014	449,90	11	2710	1626	678	731,70
	15	2544	1292	381,60	16	3115	1463	552,80	16	4075	2445	1019	854,40
	20	3548	1802	449,30	21	4524	2083	611,30	21	5484	3290	1371	912,80
140	10	1917	963	365,70	11	2461	1183	512,00	11	3061	1837	765	793,80
	15	2968	1508	440,00	16	3634	1706	630,10	16	4594	2756	1149	931,60
	20	4140	2103	538,80	21	5278	2431	732,70	21	6238	3743	1560	1034,30
160	10	2190	1100	415,10	11	2813	1352	585,70	11	4013	2408	1003	1016,30
	15	3392	1723	505,20	16	4154	1950	730,30	16	6074	3644	1519	1200,70
	20	4731	2403	621,60	21	6032	2778	850,80	21	7952	4771	1988	1321,20
180	10	2464	1238	450,80	11	3164	1521	634,00	11	4364	2618	1091	1064,60
	15	3816	1938	549,90	16	4673	2194	793,90	16	6593	3956	1648	1264,30
	20	5323	2704	674,90	21	6786	3125	923,10	21	8706	5224	2177	1393,60
200	10	2738	1375	493,70	11	3516	1690	689,20	11	4716	2830	1179	1120,00
	15	4240	2154	623,80	16	5192	2438	903,70	16	7112	4267	1778	1374,10
	20	5914	3004	736,20	21	7540	3472	1003,50	21	9460	5676	2365	1473,90
220	10	3012	1513	550,10	11	3868	1859	774,30	11	5068	3041	1267	1204,80
	15	4664	2369	699,60	16	5711	2681	1022,40	16	7631	4579	1908	1492,60
	20	6505	3304	830,50	21	8294	3819	1139,20	21	10214	6128	2554	1609,60
240	10	3286	1650	596,60	11	4219	2028	836,50	11	6019	3611	1505	1416,00
	15	5088	2584	757,70	16	6230	2925	1102,50	16	9110	5466	2278	1741,80
	20	7097	3605	899,70	21	9048	4167	1231,30	21	11928	7157	2982	1870,50
260	10	3559	1788	631,90	11	4571	2197	886,20	11	6371	3823	1593	1465,90
	15	5512	2800	803,20	16	6750	3169	1169,50	16	9630	5778	2408	1808,70
	20	7688	3905	955,30	21	9802	4514	1307,70	21	12682	7609	3171	1946,90
280	10	3833	1925	679,60	11	4922	2366	947,20	11	6722	4033	1681	1526,90
	15	5936	3015	860,40	16	7269	3413	1247,00	16	10149	6089	2537	1886,10
	20	8280	4206	1021,90	21	10556	4861	1395,10	21	13436	8062	3359	2034,40
300	10	4107	2063	713,10	11	5274	2535	994,50	11	7074	4244	1769	1573,90
	15	6360	3231	902,80	16	7788	3657	1309,10	16	10668	6401	2667	1948,50
	20	8871	4506	1074,40	21	11310	5208	1468,00	21	14190	8514	3548	2107,20

EN442 output at 20°C room temperature